



Sum of WEIGHT				GRADE													Quick Fraction
OTH PROC	SHAPE	SIZE	LENGTH (IN)	1008	1018	1045	1117	1141	1144	1215	12L14	1541	4140	10B21	4150	8620	
(blank)	RND	0.1560	144	2,874													5/32
		0.2500	8.88	826													1/4
		0.2835	144		2,044												19/67
		0.3100	11	3,970													22/71
		0.3120	144							2,202							5/16
		0.3125	144		4,022												5/16
		0.3300	240								4,476						1/3
		0.3470	144								5,492						17/49
		0.3750	144								5,966						3/8
		0.3760	240		2,574												3/8
		0.4000	144									356					2/5
		0.4360	144											1,998			17/39
		0.4375	18.75	802													7/16
			144														
		0.4440	120		2,086												4/9
		0.4450	144								1,174						4/9
		0.5000	144						1,636		2,310						1/2
			192.625			1,474											
			240		1,946												
		0.5060	144								1,981						42/83
		0.5080	210				48,780										32/63
		0.5100	288			4,296											25/49
		0.5485	144								1,504						17/31
		0.5510	144		4,050						2,981						27/49
		0.5620	144		2,130												9/16
		0.5625	144								1,584						9/16
		0.6230	19.5		3,888												38/61
			241		4,316												
		0.6240	144								661						5/8
		0.6250	144		1,690												5/8
		0.6260	144								11,928						5/8
		0.6430	144		17,975												9/14
		0.6570	144		3,279												23/35
			168		644												
		0.6610	152		12,838												39/59
		0.6750	144		1,021												27/40
		0.6820	144		4,151												15/22
		0.6875	144							1,780	1,144						11/16
		0.7090	144								594						39/55
		0.7210	144									12,756					31/43
		0.7400	144							3,124							37/50
		0.7470	168			2,230											62/83
		0.7500	13.94		3,870												3/4
			144		75,154		2,212			11,196	10,614						
			225			3,246											
			240		47,032												
		0.7510	240			3,970											3/4
		0.7518	144			4,040											3/4
		0.7519	144			3,990											3/4
		0.7872	144			1,770											37/47
		0.7874	144								3,266						37/47
		0.7880	230		4,218												26/33
		0.8240	70.5		1,422												14/17
		0.8280	144								4,428						77/93
		0.8750	144							392	5,552						7/8
			153		544												
			240		20,726					4,382							
		0.8755	144		3,970												7/8
		0.8830	144						1,405								83/94
		0.8880	224			1,054											8/9
		0.9000	144		1,246												9/10
		0.9150	144		1,098												43/47
		0.9340	144		6,598												85/91
		0.9360	144										1,564				44/47
		0.9375	144								2,204						15/16
		0.9400	144		3,544												47/50
		0.9490	24		2,304												93/98
		0.9670	240		5,630												88/91
		0.9840	144								1,023						61/62
		1.0000	24		1,008												1
			144		16,332					25,608	2,974						
			208			1,338											
			240		7,334												
		1.0070	144				2,760										1
		1.0320	144							1,060	1,196						1 1/31
		1.1100	36.159		504												1 1/9
		1.1120	144		7,206												1 1/9
		1.1250	144		2,634	528				846	29,963						1 1/8
			240		10,066	604											
		1.1262	256		24,950												1 1/8
		1.1340	229		2,238												113/97

\*\*Please inquire for Eddy Current Tested material



Sum of WEIGHT				GRADE													Quick Fraction	
OTH PROC	SHAPE	SIZE	LENGTH (IN)	1008	1018	1045	1117	1141	1144	1215	12114	1541	4140	10B21	4150	8620		
		1.1350	144							364								1 5/37
		1.1360	144		4,864													1 3/22
		1.1450	144		1,344													110/69
		1.1865	144		1,062													111/59
		1.1875	240		1,738													1 3/16
		1.1890	144									998						1 7/37
		1.2370	144		3,104													1 9/38
		1.2440	216			4,035												110/41
			240				2,488											
		1.2470	144		3,244													121/85
		1.2480	216			10,494												1 1/4
		1.2500	96		7,218													1 1/4
			144		5,938				21,364									
			192			4,006												
			240		5,168				1,982									
		1.2505	144		2,810													1 1/4
			240		9,765													
		1.2506	144		4,365													1 1/4
			240		4,005													
		1.2507	144		4,415													1 1/4
			240		4,095													
		1.2510	144		4,120													1 1/4
		1.2513	144		8,685													1 1/4
		1.2514	144		4,380													1 1/4
		1.2530	144		1,370													121/83
		1.2760	144		2,460													1 8/29
		1.3125	240			550												1 5/16
		1.3600	144		8,924													1 9/25
		1.3615	144		8,068													130/83
		1.3680	144										3,366					1 7/19
		1.3750	144							1,452	11,992							1 3/8
			153.5		242													
			192								1,285							
			240				806											
		1.3800	144													3,310		119/50
		1.3850	144		1,720													1 5/13
		1.4060	144										3,230					113/32
		1.4070	144										4,050					135/86
		1.4375	290		4,696													1 7/16
		1.4392	144							2,093								118/41
		1.4400	144		1,252													111/25
		1.4401	239			3,660												111/25
		1.4425	240			1,210												127/61
		1.4450	144		1,472													1 4/9
		1.4929	144			2,232												135/71
		1.4970	144		1,002													1 1/2
		1.4977	144								1,098							1 1/2
		1.5000	144		9,098		866				14,326							1 1/2
			240		9,060													
		1.5006	240			4,330												1 1/2
		1.5012	240			4,205												1 1/2
		1.5020	240		14,419	2,055												1 1/2
		1.5025	240			4,105												1 1/2
		1.5028	240			4,090												1 1/2
		1.5033	240			2,645												1 1/2
		1.5040	240			4,210												1 1/2
		1.5250	144			890							3,728					121/40
		1.5360	204		1,888													152/97
		1.5625	144								3,670							1 9/16
			204		1,550													
		1.5628	204		1,105													1 9/16
		1.5657	204		1,112													156/99
		1.5673	144		2,042													138/67
		1.5676	204		998													121/37
		1.5680	204		1,116													125/44
		1.5696	144			952												145/79
		1.6201	240		1,096													131/50
		1.6210	144			678												159/95
		1.6250	144		21,768	2,446				28,072			3,980					1 5/8
			240		2,116	4,654												
		1.6257	144								1,432							1 5/8
		1.6259	144								3,890							1 5/8
		1.6261	240		1,380													1 5/8
		1.6290	240			4,090												139/62
		1.6312	240			1,134												112/19
		1.7420	240			4,091												123/31
		1.7440	240			3,896												132/43
		1.7500	144		15,785	26,558				37,726	13,683							1 3/4
			240		6,188	2,450												
		1.7509	144							782								1 3/4
		1.7520	240			5,230												1 3/4

\*\*Please inquire for Eddy Current Tested material



Sum of WEIGHT				GRADE													Quick Fraction	
OTH PROC	SHAPE	SIZE	LENGTH (IN)	1008	1018	1045	1117	1141	1144	1215	12114	1541	4140	10B21	4150	8620		
		1.7523	144			2,442												1 3/4
		1.8125	144							2,624								113/16
		1.8620	144		666													125/29
		1.8750	144		4,978					7,412								1 7/8
			240			1,122												
		1.8780	144										2,226					136/41
		1.9375	240			3,206												115/16
		1.9685	144		2,354													192/95
		1.9690	144			2,978												194/97
		1.9920	144										2,546					2
		1.9990	144		773													2
		2.0000	144		6,032					72,923	38,102							2
			240		28,018													
		2.0330	288													3,700		2 3/91
		2.1220	294								1,168							2 5/41
		2.1250	144								27,414							2 1/8
			240			3,130												
			293								3,420							
		2.1268	245			1,478												2 9/71
		2.1870	240		4,606													2 3/16
		2.1875	144		3,540													2 3/16
		2.1942	240			2,048												2 7/36
		2.2446	240		1,082													211/45
		2.2500	48							1,620								2 1/4
			144		16,882	4,384				8,100								
			240		5,414	4,862												
		2.2516	240		2,170													2 1/4
		2.2551	144								1,630							225/98
		2.3010	144		3,060													228/93
		2.3125	144								1,026							2 5/16
		2.3438	144							2,632								211/32
		2.3750	144		1,448					8,286	2,166							2 3/8
		2.4350	240		3,480													210/23
		2.4375	240		634													2 7/16
		2.4980	144		1,002													2 1/2
		2.5000	144		12,068					27,403	15,988							2 1/2
			240		6,014	27,730												
		2.5001	240		2,676													2 1/2
		2.5020	144		1,608													2 1/2
		2.5030	240			4,020												2 1/2
		2.5080	144			4,060												232/63
		2.5600	144								8,544							214/25
		2.6250	144								1,322							2 5/8
		2.7480	144		1,458													2 3/4
		2.7500	144		20,690					18,831								2 3/4
			240			42,836												
		2.8125	144								2,526							213/16
		2.8710	144								2,108							227/31
		2.8750	151			5,020												2 7/8
		2.8759	150			826												2 7/8
		2.9375	96		3,042													215/16
			240		6,458	3,232												
		2.9901	144							1,720								3
		3.0000	144		23,740	22,578				16,419	10,342							3
			240		21,664	3,374												
			255						1,028									
		3.0008	240			7,239												3
		3.0020	144			4,340												3
		3.0021	240			2,894												3
		3.0023	240			1,924												3
		3.0028	240			2,880												3
		3.0029	240			4,334												3
		3.2450	144							3,104								312/49
		3.2500	144		1,360													3 1/4
		3.2511	240			1,132												3 1/4
		3.2540	144		5,420													316/63
		3.3125	144							5,624								3 5/16
		3.4940	144		2,364													341/83
		3.4950	144							2,346								349/99
		3.5000	144		21,673					64,744								3 1/2
			240		55,456													
		3.5010	252		8,274													3 1/2
		3.5013	252		4,133													3 1/2
		3.5018	240		3,934													3 1/2
		3.5025	144							5,900								3 1/2
		3.5030	252		1,374													3 1/2
		3.5080	252		3,432													332/63
	<b>HEX</b>	0.3750	130		5,605													3/8
		0.5625	144								10,660							9/16
		0.7470	144							7,406								62/83
		0.8750	144								2,471							7/8

\*\*Please inquire for Eddy Current Tested material

Sum of WEIGHT				GRADE												
OTH PROC	SHAPE	SIZE	LENGTH (IN)	1008	1018	1045	1117	1141	1144	1215	12L14	1541	4140	10B21	4150	8620
		0.9380	144								2,794					
		1.1250	144							4,616						
			240							4,436						
Chamfer	RND	2.0000	144							22,232						
		2.2500	144		1,955											

Quick Fraction
15/16
1 1/8
2
2 1/4