



Sum of WEIGHT				GRADE												
OTH PROC	SHAPE	SIZE	LENGTH (IN)	1008	1018	1045	1117	1141	1144	1144 A311	1215	12L14	4140	1040	4150	8620
(blank)	RND	0.2500	8.88	572												
			144		2,230											
		0.2810	121									1,062				
		0.3120	144								2,202					
		0.4375	73.25		1,976											
		0.4440	120		2,086											
		0.5000	240		12,340											
		0.5510	144		4,050											
		0.5530	19.875		3,686											
		0.6250	144									652				
			240		11,338											
		0.6610	152		12,838											
		0.6875	240		3,230											
		0.7500	29.37		3,594											
			144		17,070	1,932					2,390	8,084				
			240		3,946											
		0.7510	240			3,970										
		0.7518	144			4,040										
		0.7519	144			3,990										
		0.7874	144									1,150				
		0.8280	144									4,428				
		0.8750	144									13,260				
			153		544											
			240		13,872						4,382					
		0.8820	144											4,174		
		0.8880	144		2,056											
		0.9145	297			776										
		0.9375	144									2,204				
		0.9980	240		2,556											
		1.0000	144		1,998	2,308					3,986	4,884				
			168									3,050				
			208			1,338										
			240			2,616										
		1.0625	144		2,252											
		1.1250	144		1,469	734						4,094				
			240			604										
		1.1262	256		24,950											
		1.1350	144								364					
		1.1500	144		764											
		1.1865	144		1,062											
		1.1875	144		428							1,616				
		1.2470	144		3,244											
		1.2500	144		36,039				13,756	5,759		15,449				
			240		662	2,006			1,982							
			297			24,224										
		1.2505	144		2,810											
		1.2506	144		4,365											
			240		4,005											
		1.2507	144		4,415											
		1.2510	144		4,120											
		1.2513	144		8,685											
		1.2514	144		4,380											
		1.2530	144		1,370											
		1.2601	144						2,928							
		1.3125	240			550										
		1.3600	144		8,924											
		1.3615	144		8,068											
		1.3680	144									3,366				
		1.3750	144								2,722	20,966				
			240		2,528	9,086		806								
		1.3774	240					796								
		1.3777	144			2,122										
		1.3800	144													3,310
		1.3850	144		1,720											
		1.4060	144									3,230				
		1.4070	144									4,050				
		1.4365	155		1,136											
		1.4400	144		1,252											
		1.4401	239			3,660										
		1.4410	295		950											
		1.4425	240			1,210										
		1.4450	144		1,472											
		1.4970	144		1,002											
		1.4977	144									1,098				
		1.5000	144		1,662	18,184	866			4,098	1,362					
			240		14,420	11,286										
		1.5020	240		14,419											
		1.5040	240			2,645										
		1.5047	240			4,210										
		1.5250	144			890							3,728			
		1.5360	204		1,888											

Quick Fraction
1/4
9/32
5/16
7/16
4/9
1/2
27/49
47/85
5/8
39/59
11/16
3/4
3/4
3/4
3/4
37/47
77/93
7/8
15/17
8/9
32/35
15/16
1
1
1 1/16
1 1/8
1 1/8
1 5/37
1 3/20
111/59
1 3/16
121/83
113/50
1 5/16
1 9/25
130/83
1 7/19
1 3/8
120/53
117/45
119/50
1 5/13
113/32
135/86
124/55
111/25
111/25
115/34
127/61
1 4/9
1 1/2
1 1/2
1 1/2
121/40
152/97

**Please inquire for Eddy Current Tested material



Sum of WEIGHT		GRADE															Quick Fraction
OTH PROC	SHAPE	SIZE	LENGTH (IN)	1008	1018	1045	1117	1141	1144	1144 A311	1215	12L14	4140	1040	4150	8620	
		1.5625	144			938											1 9/16
		1.5696	144			952											1 45/79
		1.6201	240		1,096												1 31/50
		1.6210	144			678											1 59/95
		1.6250	144		8,065	340					2,030	8,174	3,980				1 5/8
			240		3,386												
			247									437					
			292									857					
		1.6257	144									1,354					1 5/8
		1.6261	240		1,380												1 5/8
		1.6290	240			4,090											1 39/62
		1.6312	240			1,134											1 12/19
		1.6870	144		1,366												1 11/16
		1.7420	240			4,091											1 23/31
		1.7440	240			3,896											1 32/43
		1.7500	144		9,250	15,172					24,236	21,734					1 3/4
			240		1,308												
		1.7509	144								782						1 3/4
		1.7520	240			5,230											1 3/4
		1.7523	144			2,442											1 3/4
		1.8510	144		4,296												1 40/47
		1.8570	144		3,564												1 6/7
		1.8620	144		666												1 25/29
		1.8750	144				788				4,044	9,652					1 7/8
			240		4,688	2,618											
		1.8780	144										2,226				1 36/41
		1.9375	144									6,224					1 15/16
			240			5,600											
		1.9685	144		2,354												1 92/95
		1.9690	144			2,978											1 94/97
		1.9920	144										2,546				2
		1.9990	144		773												2
		2.0000	144		20,802						12,262	54,088					2
			240			3,424											
		2.0330	288												3,700		2 3/91
		2.1220	294									1,168					2 5/41
		2.1250	144			2,318						8,652					2 1/8
		2.1268	245			1,478											2 9/71
		2.1942	240			2,048											2 7/36
		2.2446	240		1,082												2 11/45
		2.2500	144		12,038	4,064											2 1/4
			240		1,620	2,968											
		2.2516	240		2,170												2 1/4
		2.2551	144									1,630					2 25/98
		2.3010	144		3,060												2 28/93
		2.3438	144								2,632						2 11/32
		2.3750	144						8,240		7,024	2,166					2 3/8
		2.4350	240		3,480												2 10/23
		2.4375	240			1,266											2 7/16
		2.4980	144		1,002												2 1/2
		2.5000	144		22,494	3,814						36,014					2 1/2
			240		6,022												
		2.5001	240		2,676												2 1/2
		2.5020	144		1,608												2 1/2
		2.5030	240			4,020											2 1/2
		2.5080	144			1,614											2 32/63
		2.5600	144									8,544					2 14/25
		2.6250	144								7,258	5,272					2 5/8
		2.7480	144		1,458												2 3/4
		2.7500	240			32,330											2 3/4
		2.8125	144									2,526					2 13/16
		2.8710	144									2,108					2 27/31
		2.8750	151			5,020											2 7/8
		2.8759	150			826											2 7/8
		2.9375	240			6,464											2 15/16
		2.9901	144								1,720						3
		3.0000	144			16,198					4,026	14,098					3
			240		30,382	3,372							962				
		3.0008	240			7,239											3
		3.0020	144			4,340											3
		3.0021	240			2,894											3
		3.0023	240			1,924											3
		3.0028	240			2,880											3
		3.0029	240			4,334											3
		3.2450	144								3,104						3 12/49
		3.2500	144		1,360						676						3 1/4
		3.2511	240			1,132											3 1/4
		3.3125	144								5,624						3 5/16
		3.3750	144		4,035												3 3/8
		3.4375	240			1,894											3 7/16
		3.4940	144		2,364												3 41/83

**Please inquire for Eddy Current Tested material

